


WHEN IT IS SAFE TO BE AROUND OTHERS: ENDING ISOLATION IN NON-HEALTHCARE SETTINGS

For persons with confirmed or suspected COVID-19 to know when they are likely no longer contagious:



If you had COVID-19 symptoms and were directed to care for yourself at home, you can leave your "sick room" and home after these 3 things have happened:



At least 10 days have passed since symptoms first appeared, and



At least 24 hours with no fever without fever-reducing medication, and



Other symptoms have improved.*

*Note that loss of taste or smell might persist for weeks or months and this should not delay the end of isolation



If you tested positive for COVID-19 and never had <u>any</u> **symptoms** and were directed to care for yourself at home, you can leave your "sick room" and home if:



At least 10 days have passed since the date of your first positive COVID-19 diagnostic test, **and**



You continue to have no symptoms since the test.



Persons with COVID-19 who have <u>severe to critical illness</u> or who are <u>severely immunocompromised</u> might need to stay home longer than 10 days. These persons can consider using a test-based strategy to discontinue isolation, in consultation with an infectious disease expert.

- A longer time frame after recovery may be desired to minimize the chance of prolonged shedding of active virus for 1) healthcare personnel in close contact with vulnerable persons at high-risk for severe COVID-19 and 2) persons who have conditions that might weaken their immune system. Such persons should consult with their healthcare provider.
- Healthcare personnel should be excluded from work during isolation and then follow <u>Return to Work Practices and Work Restrictions</u> of universal source control and <u>self-monitoring for symptoms</u>.
- Based on CDC guidance for <u>Discontinuation of Isolation in Non-Healthcare Settings</u> aimed to prevent most instances of further spread.

February 17, 2021



WHEN IT IS SAFE TO BE AROUND OTHERS: ENDING QUARANTINE FOR EXPOSED PERSONS

If you had close contact with a person who has COVID-19 while they were contagious*, watch for symptoms and follow all recommendations (e.g., wear a mask, watch your distance, and wash your hands often) for 14 days after last exposure.

onset date

- **Close contact includes:**
- Being within 6 feet of a person who has COVID-19 for a total of 15 minutes or more over a 24-hour period, or
- Having exposure to respiratory secretions (e.g., being coughed or sneezed on; sharing a drinking glass or utensils; kissing) from a person who has COVID-19, or
- Providing care for a person who has COVID-19, or
- Living with a person who has COVID-19

*A person with COVID-19 is considered to be contagious starting from 2 days before they became sick (or 2 days before test specimen collection if they never had symptoms) until they meet the criteria to discontinue isolation.

HOUSEHOLD CONTACTS

VDH recommends that you **quarantine** (**stay home**) while the infected person is home and for **14 days** after the person has been released from isolation (because exposure is considered ongoing within the house)**.

If you are not able to stay home for 14 additional days and do not have symptoms, you may leave home earlier:

- After 10 days without testing; or
- After 7 days with a negative PCR or antigen test performed on or after Day 5.

Household contact is released from quarantine if not sick 7 days with negative test Person's Person released test symptom from isolation

If you are able to have **complete separation from the person in your house with COVID-19 (this means no contact, no time together in the same room, no sharing of any spaces, such as same bathroom or bedroom), then follow timeframe for non-household contact

NON-HOUSEHOLD CONTACTS

VDH recommends that you **quarantine (stay home)** for **14 days** after the date of last close contact with the person infected with COVID-19.



If you are not able to stay home for 14 days and do not have symptoms, you may leave home earlier:

- After 10 days without testing; or
- After 7 days with a negative PCR or antigen test performed on or after Day 5.

Non-household contact is released from quarantine if not sick 7 days with negative test Date of last close contact



WHEN IT IS SAFE TO BE AROUND OTHERS: ENDING QUARANTINE FOR EXPOSED PERSONS



Asymptomatic healthcare personnel (HCP) with potential exposure to patients, visitors, or other HCP with COVID-19 may be <u>assessed for exposures and advised on work restrictions</u> for 14 days after their last exposure. Exposures include close contact when appropriate PPE is not used, especially for aerosol-generating procedures. If staffing shortages occur, it might not be possible to exclude exposed HCP from work; see <u>CDC strategies to mitigate HCP staffing shortages</u>. HCP who were fully vaccinated for COVID-19 within the past 3 months may not be required to stay home from work.



VDH recommends that personnel filling essential critical infrastructure roles (as defined in <u>CISA</u> <u>Framework</u>) **quarantine for 14 days** after their last exposure. If you are not able to stay home for 14 days and do not have symptoms, you may leave home earlier:

CRITICAL INFRASTRUCTURE WORKERS

- After 10 days without testing; or
- After 7 days with a negative PCR or antigen test performed on or after Day 5.

Exposed critical infrastructure workers, except for education sector workers, may continue to work if they do not have any symptoms and additional precautions are taken to protect them and the community. Follow VDH recommendations for <u>critical infrastructure workers (non-healthcare)</u> potentially exposed to COVID-19.



WHO IS NOT REQUIRED TO QUARANTINE AFTER EXPOSURE

People who:

- Have had COVID-19 within the past 3 months as long as they do not develop new symptoms.
- Have been fully vaccinated for COVID-19 within the past 3 months as long as they have no symptoms and are not inpatients, residents in a healthcare setting, or residents of a correctional or detention facility.
 - Fully vaccinated means 2 weeks or more have passed since receipt of the second dose in a 2dose series, or 2 weeks or more have passed since receipt of one dose of a single-dose vaccine.
 - Healthcare settings include hospitals and long-term care facilities (e.g., nursing homes, assisted living facilities).

People who are not required to quarantine after exposure must still watch for symptoms of COVID-19 for 14 days and continue to wear a mask, stay at least 6 feet away from others, avoid crowds, and wash hands often.